

APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

	•			ĺ				
PRODUCT DAT	A SHEET	CONTRAC	TOR I	NAME: CAMS	S Shelters			
1.PART NUMBER: CAMSS-DC20Q-10S/ECU-G 2.NSN:								
3.NAME: CAMSS20Q Deployable 4.TYPE: D			ployable Camp		5.CLASS:			
6.COLOR: 483 Green		7. Support System: Frame			8.SERIES: CAMSS20Q			
9. INTENDED USE: Deployable camp for 100 person.								
10.DIMENSIONS (IN FEET AND INCHES)	LENGTH: 3	LENGTH: 32'6"		: 20'	HEIGHT: RIDGE/EAVE: 10' Peak Height			
11.DIMENSIONS (EXTERNAL GUYED)		LENGTH: 32'6"		26'				
12.SQUARE FEET INTERIOR: 6,320 Square Feet – for 10 shelters								
13.WEIGHT (POUNDS, UNPAC	KAGED) 1,100	bs/shelter	14.WEIGHT (PACKAGED) 1,500 lbs/shelter		15.SHIPPING CUBE (PACKAGED) 75 cu.ft/shelter			
16SHIPPING CONTAINER	LENGTH: 1	02"/shelter	WIDTH	: 44"/shelter	HEIGHT: 29"/shelter			
19.PARTS INCLUDED: The CAMSS20Q Deployable Camp includes ten (10) CAMSS20QMT Shelter Sytems with ten (10) CAMSS 5 Ton ECUS. Also included is a power distribution system and a 176Kw Generator. The CAMSS20Q Deployable camp includes all the features of the CAMSS20QMT shelter system with the aluminum frame system and tensioned fabric cover. The five ton ECUs include 12 KW of heat and a 25' cord with a MIL SPEC connector. The 10 Shelter power distribution kit includes power distribution units to take the power from the 176Kw generator to each of the ECUs and the lights and outlets inside the shelter. 20.DESCRIPTION: The CAMSS20Q Deployable Camp is a plug and play system that allows the users to order a complete camp system that includes the CAMSS20Q billeting shelter, 5 Ton ECUs, Power Distribution Kit and a 176KW generator. The CAMSS20Q Deployable Camp is compact for world wide deployment. The plug and play feature allows a complete camp system to be up and running quickly with everything that is included with the CAMSS20Q Deployable Camp Package.								
	PART NUMBER Or NSN	Included or		ESCRIPTION				
LIGHT SET Product Data Sheet	HIT-20Q-ELC01	Optional Included	Incandescent Light Strings		35			
	HIT-20Q-ELC01-I	-20Q-ELC01-LED Optional		Light String with LED light bulbs				
	HIT-20Q-ELC01-0	CFL Optional	Light String with CFL light		t bulbs			
	HIT-20Q-ERPL02	Included	Triplex	Outlets – Long				
OUTLET SET Product Data Sheet	HIT-20Q-ERPS02	Included	Triplex	Outlets – Short				
			+					

Optional hard plastic flooring

Included Fabric floor with cutouts for base stubs and Velcro to attach to cover

FLOORING

Sheet

Product Data

CAMSS20Q-PFL01

CAMSS-HFLD/SF

Product Data Sheet					
AIR CONDITIONER Product Data Sheet	CAMSS-5TECU01	Included	Five (5) ton ECU with 12kw of heating – 10 Included		
	CAMSS-2.5TECU	Optional	2.5 ton ECU with 12kw of heating		
GENERATOR Product Data Sheet	CAMSS-G176KW	Included	176Kw Generator – One Included		
POWER DISTRIBUTION Product Data Sheet	CAMSS-E10SPDS	Included	Ten shelter power distribution system		
TRAILER MOUNTED SUPPORT SYSTEM Product	CAMSS- GETT25KW60BTU	Optional	CAMSS GETT25KW60BTU Trailer		
Data Sheet					
INSULATED LINER Product Data Sheet	CAMSS20Q-HLLE	Optional	CAMSS Insulcam liner system installs quickly and easily like the basic liner system and reduces demand on ECUs by 42%		
INSULATED FLOORING Product Data Sheet					
SOLAR SHADE/ CAMOU. NETT Product Data	CAMSS20Q-PSF01	Optional	CAMSS Solar Fly is a unique fly system that slides over the cover and reduces solar load on the shelter.		